



designed for today



TV LIFT SOLUTIONS


2018-2019

TL 75




REMOTE
SUPPORT
INTERFACE





- The lift includes a lid lifter bar which can be fitted if required.
- The new TL 75 TV lift has 600mm of travel. This means it is suitable for LED/LCD/plasma screens that have an overall height of approximately 0mm (allowing 30mm for clearances and thickness of cabinet top).
- It is therefore suitable for up to 70 inches TV's, subject to weight and provided the TV overall height without its stand and the clearances you require for your project / construction
- This is particularly useful when used with smaller screens allowing installation in more compact cabinets. In these instances, the stroke of the lift can also be adjusted to limit the stroke height as the lift has both adjustable lower and upper limit switches enabling you to set the lower and upper start / stop points to suit your installation.
- The lift includes a manual switch to operate it and a Radio Frequency (RF) remote control that allows easy control of the lift, no line of sight between remote and receiver is required and the working range of this remote is up to 15m.
- The TL 75 TV lift is capable of raising an LED, LCD or Plasma screen of up to 80 kg. The Maximum peak load is 80Kg; this includes the instantaneous load applied to the lift at the point of opening the lid of a cabinet. Its maximum travel is 1950mm. (Consider the overall height of your screens and add allowance for thickness of cabinet lid etc when deciding if you need a lift with a longer stroke).





designed for today

Tono Systems LLP

EMAIL: contactus@tonosystems.com
www.tonosystems.com